


MINIECLFRFC - ALL NARROW ANGLE

Full colour LED fresnel to replace 300W traditional lumiaires



Goniophotometers Diagram




Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

MINIECLFRFC - BLUE NARROW ANGLE

Full colour LED fresnel to replace 300W traditional luminaire



Goniophotometers Diagram




Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

MINIECLFRFC - GREEN NARROW ANGLE

Full colour LED fresnel to replace 300W traditional luminaire



Goniophotometers Diagram




Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

MINIECLFRFC - LIME NARROW ANGLE

Full colour LED fresnel to replace 300W traditional luminaire



Goniophotometers Diagram




Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

MINIECLFRFC - RED NARROW ANGLE

Full colour LED fresnel to replace 300W traditional lumiaires



Goniophotometers Diagram




Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

MINIECLFRFC - ALL WIDE ANGLE

Full colour LED fresnel to replace 300W traditional lumiaires

Goniophotometers Diagram




Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

MINIECLFRFC - BLUE WIDE ANGLE

Full colour LED fresnel to replace 300W traditional luminaire



Goniophotometers Diagram




Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

MINIECLFRFC - GREEN WIDE ANGLE

Full colour LED fresnel to replace 300W traditional luminaire



Goniophotometers Diagram




Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

MINIECLFRFC - LIME WIDE ANGLE

Full colour LED fresnel to replace 300W traditional luminaire

Goniophotometers Diagram




Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

MINIECLFRFC - RED WIDE ANGLE

Full colour LED fresnel to replace 300W traditional lumiaires

Goniophotometers Diagram



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.